

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- ✓• TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- ✓• FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

# PATENT ABSTRACTS OF JAPAN

(11)Publication number : 02-120372

(43)Date of publication of application : 08.05.1990

(51)Int.Cl.

C09D 5/14

C09D 5/02

(21)Application number : 63-272655

(71)Applicant : KAO CORP

(22)Date of filing : 28.10.1988


(72)Inventor : IWASAKI TETSUHARU  
HIOKI YUICHI  
MITOBE HIROYUKI

## (54) MILDEWPROOFING COATING COMPOSITION

(57)Abstract:

**PURPOSE:** To provide a mildewproofing coating composition having an excellent fungicidal effect and high safety and can sustain a mildewproofing effect for a long time by mixing a synthetic resin emulsion with a specified quat. ammonium salt in a specified mixing ratio.

**CONSTITUTION:** At least 0.1 pt.wt. quat. ammonium salt of formula I (wherein at least one of R<sub>1</sub>, R<sub>2</sub> and R<sub>3</sub> is an 8-30C linear or branched alkyl or alkenyl, and the rest are methyl, ethyl, formula II of formula III; R<sub>4</sub> is methyl or ethyl; and the counter ion X<sup>-</sup> is an anionic residue of an acid having a 7C or higher hydrophobic group) is added to 100 pts.wt. (in terms of nonvolatiles) synthetic resin emulsion (e.g., vinyl chloride resin emulsion) to produce a mildewproofing coating composition. Examples of the counter ion of the quat. ammonium salt of formula I include residues of dodecylbenzenesulfonic acid and lauric acid.



## LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's decision of rejection]

AN 1990:554360 HCAPLUS

DN 113:154360

TI Microbicidal coating compositions containing quaternary ammonium salts

IN Iwasaki, Tetsuharu; Hioki, Yuichi; Mitobe, Hiroyuki

PA Kao Corp., Japan

SO Japan Kokai Tokkyo Koho, 5 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 02120372	A2	19900508	JP 1988-272655	19881028
	JP 2582418	B2	19970219		

OS MARPAT 113:154360

AB The title compns., having prolonged microbicidal effects, comprise synthetic resin emulsions and quaternary ammonium compds. R1N+R2R3R4 X- (1 of R1-3 = C8-30 alkyl or alkenyl with the remainder being = Me, Et, CH2Ph, or 4-pyridylmethyl; R4 = Me, Et; X = anion of acid having C7 hydrophobic group). A fungicidal coating composition contained TiO2 23.4, CaCO3 13.7, clay 6.3, ethylene glycol 1.8, diisobutylene-maleic anhydride copolymer salt 0.5, H2O 13.0, hydroxyethyl cellulose 13.5, acrylic-styrene copolymer emulsion 23.3, defoamer 0.05, and didecyldimethylammonium dodecylbenzenesulfonate 0.5 part.